DOI: 10.7860/JCDR/2016/22146.9069 Images in Medicine

Internal Medicine Section

Angiographic Characteristics of a Cardiac Tumor: 'Yo Yo Ball in the Heart'

ABHISHEK GOYAL¹, ROHIT TANDON², RAJESH CHAND ARYA³, BISHAV MOHAN⁴, GURPREET SINGH WANDER⁵

Keywords: Coronary Angiography, Left atrial myxoma, Neovascularisation

A 75-year-old female presented to the emergency department with a diagnosis of Non-ST Elevation Myocardial Infarction (NSTEMI). Transthoracic Echocardiogram (TTE) showed a large, mobile and heteroechoic left atrial mass attached to inter-atrial septum. In view of NSTEMI, patient was taken up for Coronary Angiogram (CAG), which revealed triple vessel disease with chronic total occlusion of proximal left circumflex artery, significant stenosis of Left Anterior Descending Artery (LAD) (80% stenosis in proximal and mid LAD) and non-significant stenosis in mid Right Coronary Artery (RCA).

Incidental yet most remarkable finding was the characteristic tumor vascularity seen in delayed phase of CAG (neovascularization from branches of distal RCA). Feeding vessels arose from distal RCA and AV nodal branch of RCA. These vessels converged to form a basal network in Inter-Atrial Septum (IAS) which gave rise to a vascular stalk [Table/Fig-1a,b]. From the vascular stalk feeders diverged to supply the main tumor mass. This tumor mass had a characteristic 'TO and FRO' movement during cardiac cycle like a YO YO ball [Videos-1,2]. Mobile mass attached to IAS by a stalk is characteristic of Left Atrial (LA) myxoma. Since Transesophageal Echocardiography (TEE) has 100% sensitivity and specificity in detecting LA myxoma [1], the diagnosis was confirmed by TEE [Table/Fig-2], [Video-3].

Neovascularisation in a LA myxoma is seen in 33% to 55.6% of cases and is often considered non specific [2-4]. Huang et al., has described the similar angiographic appearance as "sea anemone" like tumor [4] and suggested this to be diagnostic of LA myxoma based on the characteristic triad - the site of attachment, the vascular pattern and the dynamic motion during the cardiac cycle. Our case is unique since all the three characteristics of this triad are very well seen on CAG. Such an appearance is quite helpful in suspecting LA myxoma during routine CAG since such a triad is not seen in any other intra-cardiac mass.

REFERENCES

[1] Vincelj J, Sutlic Z, Biocina B, Niki N, Lajtman Z. Diagnostic accuracy of trans esophageal echocardiography for detection of atrial mass. *Acta Med Croatica*. 2001;55(1):47-51.



[Table/Fig-1]: (a) Coronary angiogram of right coronary artery (LAO cranial view) Characteristic vascular pattern of tumor is best appreciated in late phase which shows a basal vascular network (yellow arrow) at the site of IAS and a vascular stalk (white arrow) supplying the main tumor mass (seen as tumor blush, blue arrow); (b) Coronary angiogram of right coronary artery (AP cranial view).



[Table/Fig-2]: Corresponding transesophageal echocardiographic image of the LA

- [2] Chow WH, Chow TC, Tai YT, Yip AS, Cheung KL. Angiographic visualization of "tumor vascularity" in atrial myxoma. *Eur Heart J*. 1991;12(1):79-82.
- [3] Fueredi GA, Knechtges TE, Czarnecki DJ. Coronary angiography in atrial myxoma: Findings in nine cases. Am J Radiol. 1989;152:737–38.
- [4] Huang CY, Yu WC, Chen KC, Lin SJ. Coronary angiography of cardiac myxoma. *Clin Cardiol*. 2005;28(11):505-09.

PARTICULARS OF CONTRIBUTORS:

- 1. Assistant Professor, Department of Cardiology, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana, Punjab, India.
- Consultant Physician, Department of Cardiology, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana, Punjab, India.
- 3. Consultant, Department of Anaesthesia, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana, Punjab, India.
- Professor, Department of Cardiology, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana, Punjab, India.
 Professor and HOD, Cardiology, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana, Punjab, India.

NAME, ADDRESS, E-MAIL ID OF THE CORRESPONDING AUTHOR:

Dr. Abhishek Goyal,

Assistant Professor, Department of Cardiology, Dayanand Medical College & Hospital Unit Hero DMC Heart Institute, Ludhiana-141001, Punjab, India. E-mail: drabhishekgoyal11@yahoo.in

FINANCIAL OR OTHER COMPETING INTERESTS: None.

Date of Submission: Jul 28, 2016 Date of Peer Review: Sep 22, 2016 Date of Acceptance: Sep 29, 2016 Date of Publishing: Dec 01, 2016